# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L2 | 2245 | 370/4$$ and (enav buffer with configur$5) and (@ad<"20030331" @rlad<"20030331") | USPAT | OR | ON | 2007/11/28 07:58 |
| L3 | 93 | 2 and (name id identifier) near5 size | USPAT | OR | ON | 2007/11/28 07:55 |
| L4 | 4 | 3 and (directory database) with reference and error | USPAT | OR | ON | 2007/11/28 07:56 |
| L5 | 0 | enav and (bus queue port buffer) with configur$5 and (@ad<"20030331" @rlad<"20030331") | USPAT | OR | ON | 2007/11/28 07:59 |
| L6 | 271 | (directory) with reference and error and (bus queue port buffer) with configur$5 and (@ad<"20030331" @rlad<"20030331") | USPAT | OR | ON | 2007/11/28 08:07 |
| L7 | 268 | 6 and (interact$4 communicat$3 bi-direct$5 mode) | USPAT | OR | ON | 2007/11/28 08:01 |
| L8 | 265 | 6 and (interact$4 communicat$3 bi-direct$5) | USPAT | OR | ON | 2007/11/28 08:01 |
| L9 | 245 | 6 and (interact$4 mode) | USPAT | OR | ON | 2007/11/28 08:02 |
| L10 | 55 | 6 and (interact$4 mode) same (audio near5 video) | USPAT | OR | ON | 2007/11/28 08:05 |
| L11 | 6 | 10 and allocat$3 with updat$5 | USPAT | OR | ON | 2007/11/28 08:03 |
| L14 | 3 | 6 and (interact$4 mode) and (audio near5 video multimedia) and allocat$3 with (edit$4 chang$4 modif$4 updat$5) and (markup ?xml html xml) | USPAT | OR | ON | 2007/11/28 08:08 |
| L15 | 1430 | (directory) and error and (bus queue port buffer) near3 configur$5 and (@ad<"20030331" @rlad<"20030331") | USPAT | OR | ON | 2007/11/28 08:31 |
| L16 | 15 | 15 and (interact$4 mode) and (audio near5 video multimedia) and allocat$3 with (edit$4 chang$4 modif$4 updat$5) and (markup ?xml html xml) | USPAT | OR | ON | 2007/11/28 08:08 |
| L17 | 277 | (dvd tv television mtv catv) same (pc computer server) and (replay reproduc$4) and interact$3 and (bus queue port buffer) near3 configur$5 and (@ad<"20030331" @rlad<"20030331") | USPAT | OR | ON | 2007/11/28 08:43 |
| L18 | 40 | 17 and (html xml) | USPAT | OR | ON | 2007/11/28 08:34 |
| L19 | 23 | 17 and (html xml) and directory | USPAT | OR | ON | 2007/11/28 08:34 |

| L20 | 23 | 17 and (html xml) and directory and audio and video | USPAT | OR | ON | 2007/11/28 08:35 |
|-----|-----|------------------------------------------------------|-------|-----|-----|-------------------|
| L21 | 22 | 20 and size and (name id identifier) and (location allocat$3 address) | USPAT | OR | ON | 2007/11/28 08:38 |
| L22 | 16 | 21 and (updat$5 chang$4 modif$4 edit$3) with configur$5 | USPAT | OR | ON | 2007/11/28 08:37 |
| L23 | 9 | 22 and (name id identifier) with (location address) and size with (name id identifier) | USPAT | OR | ON | 2007/11/28 08:43 |
| L24 | 4 | 23 and (cd dvd) same (tv television mtv catv) same (pc computer server) | USPAT | OR | ON | 2007/11/28 08:47 |
| L25 | 3 | 23 and (dvd) and (tv television mtv catv) and (pc computer server) | USPAT | OR | ON | 2007/11/28 08:48 |

# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L1 | 111 | (audio video AV) same (html xml markup) same configur$5 same (upda$5 edit chang$3 modif$4) and (@ad<"20030331" @rlad<"20030331") | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:35 |
| L2 | 91 | (audio video AV) same (html xml markup) same configur$5 same (upda$5 edit chang$3 modif$4) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:35 |
| L3 | 19 | (audio video AV) same (html xml markup) same configur$5 same (upda$5 edit chang$3 modif$4) and (@ad<"20030331" @rlad<"20030331") and interact$5 same manag$5 same (buffer queue port screen browser) | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:36 |
| L4 | 0 | (audio video AV) same (html xml markup) same configur$5 same (upda$5 edit chang$3 modif$4) same allocat$3 and (@ad<"20030331" @rlad<"20030331") and interact$5 same manag$5 same (buffer queue port screen browser) | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:37 |
| L5 | 0 | (audio video AV) same (html xml markup) same configur$5 same (upda$5 edit chang$3 modif$4 tailor rearrang$3 assign) same allocat$3 and (@ad<"20030331" @rlad<"20030331") and interact$5 same manag$5 same (buffer queue port window bus screen browser) | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:37 |
| L6 | 0 | (audio video AV) same (html xml markup) same configur$5 same (upda$5 edit chang$3 modif$4 tailor rearrang$3 assign adjust$4 adapt$4) same allocat$3 and (@ad<"20030331" @rlad<"20030331") and interact$5 same manag$5 same (buffer queue port window bus screen browser) | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:38 |

| L7 | 12 | (audio video AV) same (html xml markup) same configur$5 same (upda$5 edit chang$3 modif$4 tailor rearrang$3 assign adjust$4 adapt$4) and allocat$3 and (@ad<"20030331" @rlad<"20030331") and interact$5 same manag$5 same (buffer queue port window bus screen browser) | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:39 |
|---|---|---|---|---|---|---|
| L8 | 29 | (audio video multimedia) same (html xml markup) same configur$5 same (upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4) and allocat$3 and (@ad<"20030331" @rlad<"20030331") and interact$5 and manag$5 same (buffer queue port window bus screen browser) | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:43 |
| L9 | 13 | 8 and (replay playback play-back reproduc$4) | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:42 |
| L10 | 16 | 8 and (replay playback play-back reproduc$4 dvd) | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:43 |
| L11 | 27 | (html xml markup) same configur$5 same (upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4) and allocat$3 and (@ad<"20030331" @rlad<"20030331") and interact$5 and manag$5 same (buffer queue port window bus screen browser) with (audio video multimedia) | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:44 |
| L12 | 21 | 11 and (replay playback play-back reproduc$4 dvd) | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:45 |
| L13 | 3 | (html xml markup) same configur$5 same (upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4) and (@ad<"20030331" @rlad<"20030331") and interact$5 and manag$5 same allocat$3 same (buffer queue port window bus screen browser) with (audio video multimedia) | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:47 |
| L14 | 3 | 13 and (replay playback play-back reproduc$4 dvd) | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:51 |

| | | | | | | |
|---|---|---|---|---|---|---|
| L15 | 0 | (html xml markup) same allocat$3 and configur$5 same (upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4) same allocat$3 same (buffer queue port window bus screen browser) with (audio video multimedia) and (@ad<"20030331" @rlad<"20030331") and interact$5 and manag$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:48 |
| L16 | 2 | (html xml markup) same allocat$3 and configur$5·same (upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4) same allocat$3 same (audio video multimedia) and (@ad<"20030331" @rlad<"20030331") and interact$5 and manag$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:52 |
| L17 | 1 | 16 and (replay playback play-back reproduc$4 dvd) | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:54 |
| L18 | 577 | (html xml markup) and allocat$3 and configur$5 same (upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4 alter$4 substitut$3 replac$3) same (audio video multimedia) and (@ad<"20030331" @rlad<"20030331") and interact$5 and manag$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:53 |
| L19 | 22 | (html xml markup) and configur$5 same (upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4 alter$4 substitut$3 replac$3) same (audio video multimedia) same allocat$3 and (@ad<"20030331" @rlad<"20030331") and interact$5 and manag$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:53 |
| L20 | 13 | (html xml markup) and configur$5 same (upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4 alter$4 substitut$3 replac$3) same (audio video multimedia) same allocat$3 and (@ad<"20030331" @rlad<"20030331") and interact$5 same manag$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:55 |
| L21 | 7 | 20 and (replay playback play-back reproduc$4 dvd) | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:54 |

| L22 | | 5 | (html xml markup) and configur$5 near5 (memory threshold hardware parameter information data attribute buffer port window queue bus) same(upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4 alter$4 substitut$3 replac$3) same (audio video multimedia) same allocat$3 and (@ad<"20030331" @rlad<"20030331") and interact$5 same manag$5 and (replay playback play-back reproduc$4 dvd) | US-PGPUB; USPAT | OR | ON | 2007/11/28 10:01 |
|-----|---|----|-----------------------------------------|------|----|----|-----------------|
| L23 | | 3 | (xml markup) and configur$5 near5 (memory threshold hardware parameter information data attribute buffer port window queue bus) same(upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4 alter$4 substitut$3 replac$3) same (audio video multimedia) same allocat$3 and (@ad<"20030331" @rlad<"20030331") and interact$5 same manag$5 and (replay playback play-back reproduc$4 dvd) | US-PGPUB; USPAT | OR | ON | 2007/11/28 09:59 |
| L24 | | 50 | (html xml markup) and (reconfigur$5 configur$5) with (hardware parameter information data attribute buffer port window queue bus) same (audio video multimedia) same allocat$3 and (@ad<"20030331" @rlad<"20030331") and interact$5 same manag$5 and (replay playback play-back reproduc$4 dvd) and (upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4 alter$4 substitut$3 replac$3) | US-PGPUB; USPAT | OR | ON | 2007/11/28 10:02 |
| L25 | | 3 | 24 and (upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4 alter$4 substitut$3 replac$3) with allocat$3 | US-PGPUB; USPAT | OR | ON | 2007/11/28 10:03 |

# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L37 | 702737 | (html xml markup) same (reconfigur$5 configur$5) same (hardware parameter information data attribute buffer port window queue bus usb vesa "i/o") same (audio near3 video multimedia) sand (upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4 alter$4 substitut$3 replac$3) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 14:03 |
| L38 | 258 | (html xml markup) same (reconfigur$5 configur$5) same (hardware parameter information data attribute buffer port window queue bus usb vesa "i/o") same (audio near3 video multimedia) and (upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4 alter$4 substitut$3 replac$3) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 11:20 |
| L39 | 11 | 38 and (size with memory) | US-PGPUB; USPAT | OR | ON | 2007/11/28 11:17 |
| L40 | 17 | 38 and size with (buffer port window queue bus usb vesa "i/o") | US-PGPUB; USPAT | OR | ON | 2007/11/28 11:17 |
| L41 | 3 | 38 and size with configur$5 with (buffer port window queue bus usb vesa "i/o") | US-PGPUB; USPAT | OR | ON | 2007/11/28 11:28 |
| L42 | 71 | (html xml markup) same (reconfigur$5 configur$5) same (hardware buffer port window queue bus usb vesa "i/o") same (audio near3 video multimedia) and (upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4 alter$4 substitut$3 replac$3) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 11:24 |

| L43 | 34 | (html xml markup) same (reconfigur$5 configur$5) with (hardware buffer port window queue bus usb vesa "i/o") same (audio near3 video multimedia) and (upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4 alter$4 substitut$3 replac$3) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 11:25 |
|-----|-----|-----|-----|-----|-----|-----|
| L44 | 15 | (html xml markup) same (reconfigur$5 configur$5) with (buffer port window queue bus usb vesa "i/o") same (audio near3 video multimedia) and (upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4 alter$4 substitut$3 replac$3) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 11:26 |
| L45 | 4 | (html xml markup) same (reconfigur$5 configur$5) with (buffer port queue bus usb vesa "i/o") same (audio near3 video multimedia) and (upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4 alter$4 substitut$3 replac$3) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 11:39 |
| L47 | 3 | 45 and size | US-PGPUB; USPAT | OR | ON | 2007/11/28 11:29 |
| L48 | 4 | (html xml markup) with (reconfigur$5 configur$5) with (buffer port queue bus usb vesa "i/o") and (audio near3 video multimedia) with (upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4 alter$4 substitut$3 replac$3) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 11:54 |
| L49 | 16 | (html xml markup) with (reconfigur$5 configur$5) with (buffer port queue bus "i/o") and (audio near3 video multimedia image) with (upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4 alter$4 substitut$3 replac$3) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 11:56 |

| L50 | 16 | (html xml markup mark$3 adj up) with (reconfigur$5 configur$5) with (buffer port queue bus "i/o") and (audio near3 video multimedia image) with (upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4 alter$4 substitut$3 replac$3) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 11:59 |
|-----|----|----|----|----|----|----|
| L52 | 1 | (html xml markup mark$3 adj up) with (reconfigur$5 configur$5) with (part$6 portion) with (screem window buffer port queue bus "i/o") and (audio near3 video multimedia image) with (upda$5 edit$4 chang$3 modif$4 tailor rearrang$3 re-assign adjust$4 adapt$4 alter$4 substitut$3 replac$3) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 12:06 |
| L53 | 20 | (html xml markup mark$3 adj up) with (reconfigur$5 configur$5) with (part$6 portion) with (screen window buffer port queue bus "i/o") and (audio near3 video multimedia image) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 12:08 |
| L54 | 3 | (html xml markup mark$3 adj up) with (reconfigur$5 configur$5) with (part$6 portion) with (screen window buffer port queue bus "i/o") and (audio near3 video ) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 12:43 |
| L55 | 2 | (html xml markup mark$3 adj up) with (reconfigur$5 configur$5) with (portion) same (screen window buffer port queue bus "i/o") and (audio near3 video ) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 12:44 |
| L56 | 17 | (html xml markup mark$3 adj up) with (reconfigur$5 configur$5) with (portion) same (screen window buffer port queue bus "i/o") and (audio near3 video media metadata) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 12:45 |

| L57 | 18 | (html xml markup mark$3 adj up) with (reconfigur$5 configur$5) with (portion) same (screen window buffer port queue bus "i/o") and (audio near3 video media metadata stream$3) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 12:46 |
|-----|-----|-----|-----|-----|-----|-----|
| L58 | 0 | (html xml markup mark$3 adj up) with (reconfigur$5 configur$5) with (portion) same (buffer port queue bus "i/o") and (audio near3 video media metadata stream$3) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 12:46 |
| L59 | 18 | (html xml markup mark$3 adj up) with (reconfigur$5 configur$5) with (portion) same (screen window buffer ram sram dsram queue bus "i/o") and (audio near3 video media metadata stream$3) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 12:48 |
| L60 | 8 | (html xml markup mark$3 adj up) with (reconfigur$5 configur$5) with (portion) and size with (screen window buffer ram sram dsram queue bus "i/o") and (audio near3 video media metadata stream$3) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 13:16 |
| L61 | 229 | (html xml markup mark$3 adj up) same (reconfigur$5 configur$5) near5 (screen window buffer ram sram dsram queue bus "i/o") and (audio near3 video multimedia metadata stream$3) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 12:54 |
| L62 | 42 | (html xml markup mark$3 adj up) same (reconfigur$5 configur$5) near5 (buffer ram sram dsram queue bus) and (audio near3 video multimedia metadata stream$3) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 12:54 |
| L63 | 21 | (html xml markup mark$3 adj up) same (reconfigur$5 configur$5) near5 (buffer queue bus) and (audio near3 video multimedia metadata stream$3) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 12:54 |

| L64 | 446 | (reconfigur$5 configur$5) near2 (screen window buffer ram sram dsram queue bus "i/o") and (allocat$3 verif search identif$3 adapt$4 adjust$4) with (html xml markup mark$3 adj up vrml vxml hdtml) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 13:29 |
| L65 | 33 | (reconfigur$5 configur$5) near2 (screen window buffer ram sram dsram queue bus "i/o") and (allocat$3 verif search identif$3 adapt$4 adjust$4) with (html xml markup mark$3 adj up vrml vxml hdtml) with updat$5 and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 13:30 |
| L66 | 2 | (reconfigur$5 configur$5) near2 (buffer queue bus "i/o") and (allocat$3 verif search identif$3 adapt$4 adjust$4) with (html xml markup mark$3 adj up vrml vxml hdtml) with updat$5 and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 13:33 |
| L67 | 1 | (reconfigur$5 configur$5) near2 (buffer queue bus "i/o") SAME (html xml markup mark$3 adj up vrml vxml hdtml) with updat$5 and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 13:32 |
| L68 | 37 | (reconfigur$5 configur$5) near2 (buffer queue bus "i/o") and (html xml markup mark$3 adj up vrml vxml hdtml) with updat$5 and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 13:33 |
| L71 | 12 | (reconfigur$5 configur$5) near2 (buffer queue bus "i/o") and (html xml markup mark$3 adj up vrml vxml hdtml) with (edit modif$4 chang$3 replac$3 substitut$3 updat$5) with (allocat$5 area portion) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 13:37 |
| L72 | 89 | (reconfigur$5 configur$5) near2 (buffer queue bus "i/o") and (html xml markup mark$3 adj up vrml vxml hdtml) with (allocat$5 area portion) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 13:37 |

| L74 | 89 | (reconfigur$5 configur$5) near2 (buffer queue bus "i/o") and (html xml markup mark$3 adj up vrml vxml hdtml) with (area portion) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 14:19 |
|---|---|---|---|---|---|---|
| L75 | 35 | (buffer queue bus "i/o") adj2 (reconfigur$5 configur$5)and (html xml markup mark$3 adj up vrml vxml hdtml) with (area portion) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 13:44 |
| L76 | 14 | 75 and size with (buffer port window queue bus usb vesa "i/o") | US-PGPUB; USPAT | OR | ON | 2007/11/28 13:39 |
| L77 | 10 | 75 and size near3 (buffer port window queue bus usb vesa "i/o") | US-PGPUB; USPAT | OR | ON | 2007/11/28 13:39 |
| L80 | 8 | allocat$4 with (buffer queue bus "i/o" link channel interface) with (area portion) same (html xml markup mark$3 adj up vrml vxml hdtml) and (@ad<"20030331" @rlad<"20030331") and interact$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 13:47 |
| L81 | 4 | allocat$4 with (buffer queue bus "i/o" link channel interface connect$3) with (area portion) same (html xml markup mark$3 adj up vrml vxml hdtml xhtml) and (@ad<"20030331" @rlad<"20030331") and interact$5 and configur$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 13:48 |
| L82 | 4 | allocat$4 with (buffer queue bus "i/o" link channel interface connect$3) with (area portion) same (html xml markup mark$3 adj up vrml vxml dhtml xhtml) and (@ad<"20030331" @rlad<"20030331") and interact$5 and configur$5 | US-PGPUB; USPAT | OR | ON | 2007/11/28 13:51 |
| L83 | 2 | allocat$4 with (area portion) with (html xml markup mark$3 adj up vrml vxml dhtml xhtml) and (@ad<"20030331" @rlad<"20030331") and interact$5 and configur$5 near (buffer queue bus "i/o" link channel interface connect$3) | US-PGPUB; USPAT | OR | ON | 2007/11/28 13:53 |

| L84 | 117 | (identif$4 select$4 allocat$4) with (area portion) with (html xml markup mark$3 adj up vrml vxml dhtml xhtml) and (@ad<"20030331" @rlad<"20030331") and interact$5 and configur$5 near (buffer queue bus "i/o" port link channel interface connect$3 hardware) | US-PGPUB; USPAT | OR | ON | 2007/11/28 13:54 |
|-----|-----|---|---|---|---|---|
| L85 | 75 | (identif$4 select$4 allocat$4) with (area portion) near5 (html xml markup mark$3 adj up vrml vxml dhtml xhtml) and (@ad<"20030331" @rlad<"20030331") and interact$5 and configur$5 near (buffer queue bus "i/o" port link channel interface connect$3 hardware) | US-PGPUB; USPAT | OR | ON | 2007/11/28 13:54 |
| L86 | 4 | (identif$4 select$4 allocat$4) with (area portion) near5 (html xml markup mark$3 adj up vrml vxml dhtml xhtml) and (@ad<"20030331" @rlad<"20030331") and interact$5 and configur$5 near (buffer queue bus "i/o" port) | US-PGPUB; USPAT | OR | ON | 2007/11/28 14:01 |
| L87 | 19 | (identif$4 select$4 allocat$4) with (area portion) with (html xml markup mark$3 adj up vrml vxml dhtml xhtml) and (@ad<"20030331" @rlad<"20030331") and interact$5 and configur$5 near3 (buffer queue bus "i/o" port) | US-PGPUB; USPAT | OR | ON | 2007/11/28 14:03 |
| L88 | 7 | (reconfigur$5 configur$5) near2 (buffer queue bus "i/o") with (html xml markup mark$3 adj up vrml vxml hdtml) with (area portion) and (@ad<"20030331" @rlad<"20030331") | US-PGPUB; USPAT | OR | ON | 2007/11/28 14:20 |